



déanta

WWW.DEANTADOORS.IE













WHITE PRIMED

WALNUT

HP12/CT	HP1	HP16G	HP18/CT	HP18G	HP24/CT	HP24G	HP35	HP35G	NM3	NM3G
Page: 076	Page: 078	Page: 079	Page: 080	Page: 080	Page: 081	Page: 081	Page: 83	Page: 083	Page: 084	Page: 084

NM5	NM6G	NM9G	RB7	RB7G	FLUSH
Page: 085	Page: 086	Page: 087	Page: 088	Page: 088	Page: 089

 RED DEAL
 LIGHT GREY ASH

 Image: 094
 Image: 094

	P. 00	6 -	P. 0(TH We a com
	P. 00	8 -	P. 0()9	DC Our hing
1	P. 01	0 -	P. 04	41	OA Our
1	P. 03	4 -	P. 06		WH Our
	P. 07	6 -	P. 08	39	W# Our
	P. 09	0 -	P. 09		LIC Our
	P. 09		P. 0 9		RE Our
	P. 09	6 -	P. 0 9	99	FIF Our

CONTENTS

IE DEANTA STORY

e are not just another door mpany.

OOR ACCESSORIES ir Range of locks, handles and

nges.

AK DOORS

HITE PRIMED DOORS

ALNUT DOORS

GHT GREY ASH Ir range of Light Grey Ash doors.

ED DEAL DOORS *Ir range of red deal doors.*

RE & CONTRACT DOORS

- **P.**100 **P.**101 **GLASS OPTIONS** Our range of glass options for our unglazed doors.
- P.102 P.107 SKIRTING AND ARCHITRAVE Our range of skirting and architrave in oak, walnut & primed
- P.108 P.113 ACCESSORIES Corner Blocks, door frames, door dividers, window board, heel blocks
- P.114 P.115 WALL PANELLING Deanta wall panelling
- P.116 P.117 BEING RESPONSIBLE 98% of all our onsite waste is recycled
- P.118 P.119 THE DEANTA DIFFERENCE Why Deanta?
- **P.**120 **P.**121 **TERMS & CONDITIONS** *The fine print.*
- **P.**122 **P.**123 **BESPOKE DOORS** Any door, any size.



Deanta Doors is a 100% Irish owned company that designs and manufactures its own range of real wood veneered interior doors, frames, skirting and architrave. Our innovative designs have set the standard in modern and contemporary internal doors. We are driven by three simple ideals, delivering a quality product, excellence in customer service & a determination to continue innovating and leading the field in interior doors.

We manufacture and supply to the trade a wide range of beautifully crafted stylish interior doors including oak, walnut and white primed doors along with a selection of FD30 fire doors. Our Fire doors are Certified and manufactured to safety standard BS 476: Part 22: 1987 (Chiltern International certification). All Deanta doors are manufactured to the highest standard with only the finest of materials ensuring you get the best from your contemporary Deanta door.

As with the "voice of the customer", customer satisfaction is Deanta's highest priority. We achieve this goal by listening to our customers and by focusing on innovation while continuously improving the cost effectiveness as well as the performance of all our products and processes. Unlike most other Irish door companies, we have our own manufacturing facility. This allows us not only to control our supply chain but quickly respond to customer feedback. With full ownership of the quality control process we seek to ensure every door that leaves our factory is of the very highest quality. Owning the process from production to distribution enables us to be extremely competitive on price, as well as surpassing expectations on service while permitting the flexibility to have doors manufactured to meet your specification.

THE DEANTA STORY

We truly care about the experience our customers have with us. We welcome feedback and continually strive to deliver unsurpassed customer care. Deanta has over twenty-five years of experience in the building and design industry which we believe is fundamental in creating strong, working relationships with our clients who are suppliers to the construction industry, designers, architects, builders & the general public.

OUR COMMITMENT TO QUALITY



The Range of Deanta Door Accessory Sets has been exclusively chosen to complement our doors. The Aran, Lagan, Barrow, Inishmore & Skellig Range can come in both standard & bathroom sets, which include:

1 x Pair of Handles 3 x Hinges, 1 x Pair of Escutcheons & 1 x Lock with 2 x Keys.

All Sets are Available in both Chrome Plated & Satin Nickel Finishes.

For further information visit our website at: www.deantadoors.ie or please contact your local stockist.





Satin Nickel









ONEY




Satin Nickel

Key Set / WC Set Screw on Rose





Satin Nickel







PAGE 08



Satin Nickel





Satin Nickel



Black Graphite








- » Real American white oak veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » Covered by the Deanta 10 year manufacturers warranty
- » Clear/Frosted toughened glass
 » Frosted double laminated glass








CL FR Clear

FINISHES AVAILABLE









OAK



SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm

SIZES - CLEAR

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm

SIZES - FROSTED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm

PAGE 011

OAK



HP12 in prefinished oak. Featured skirting and architrave - Ulysses, white primed

FEATURES

- » Real American white oak veneer
- » Crown cut veneer
- » Solid core Solid wood inlays
- » Prefinished
- » Contract door option available
- » 30 minute Fire Rated door option available
- » Covered by the Deanta 10 year manufacturers warranty

DOOR DETAIL







SPECIFICATIONS

FD30 CT Contract

FINISHES AVAILABLE



SIZES - SOLID / FD30 2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm

SIZES - CONTRACT

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm











FEATURES

- » Real American white oak veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » Covered by the Deanta 10 year manufacturers warranty

PAGE 012





FINISHES AVAILABLE



HP27G - CLEAR

SIZES - GLAZED CLEAR

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm OAK

 \sim

ЧD



- » Real American white oak veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » 30 minute Fire Rated door option available
- » Covered by the Deanta 10 year manufacturers warranty
- » Glazing options see page 100-101
- » Bevelled glass available (special order) see page 100-101

Unglazed Bevelled

DOOR DETAIL

GLASS OPTIONS SPECIFICATIONS





FINISHES AVAILABLE



HP16G - UNGLAZED

UNGLAZED / FD30

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm



HP16G - BEVELLED



- » Covered by the Deanta 10 year manufacturers warranty

DOOR DETAIL	GLASS OPTIONS
	UG

HP18

HP18G - UNGLAZED

SPECIFICATIONS



SIZES - SOLID / FD30

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm 1981 x 660 x 44mm

UNGLAZED / FD30

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm SIZES - CONTRACT

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm



HP232 in prefinished oak. Featured skirting and architrave - Half Splayed, white primed

FEATURES

OAK

 \sim

 \sim

 \square

I

- » Real American white oak veneer
- » Crown cut veneer
- » Solid core Solid wood inlays
- » Prefinished
- » 30 minute Fire Rated door option available
- » Covered by the Deanta 10 year manufacturers warranty

DOOR DETAIL







FINISHES AVAILABLE





SIZES - SOLID / FD30

2040 x 534 x 44mm 2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm 1981 x 686 x 44mm



HP23 in prefinished oak. Featured skirting and architrave - Half Splayed, white primed

FEATURES

- » Real American white oak veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » Covered by the Deanta 10 year manufacturers warranty

DOOR DETAIL



Square edge detail for the classical shaker look.

PAGE 016

FINISHES AVAILABLE



* Handle Options - see page 6.





Satin Nickel

SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm

HP23





HP24 glazed in prefinished oak. Featured skirting and architrave - Tudor, white primed

FINISHES AVAILABLE

Oak Walnut

F


1 E


FEATURES


OAK

- » Real American white oak veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » Contract door option available (in solid only)
- » 30 minute Fire Rated door option available
- » Covered by the Deanta 10 year manufacturers warranty
- » Clear toughened glass









- » Real American white oak veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- Clear toughened glass
 Covered by the Deanta 10 year manufacturers warranty





OAK



HP25GC - CLEAR

SIZES - GLAZED CLEAR

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm





OAK

9

 \sim


 \square I

FINISHES AVAILABLE

Oak

- » Real American white oak veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » Covered by the Deanta 10 year manufacturers warranty
- » Clear toughened glass

DOOR DETAIL







HP26GC - CLEAR

SIZES - GLAZED CLEAR

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm



HP32 in prefinished oak. Featured skirting and architrave - Half Splayed, white primed

FEATURES

- » Real American white oak veneer
- » Crown cut veneer
- » Solid core Solid wood inlays
- » Prefinished
- » 30 minute Fire Rated door option available
- » Covered by the Deanta 10 year manufacturers warranty

DOOR DETAIL



PAGE 020

FINISHES AVAILABLE



SPECIFICATIONS



HP32

SIZES - SOLID / FD30

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm





OAK





- » Real American white oak veneer
- » Crown cut veneer
- » Solid core Solid wood inlays
- » Prefinished
- » 30 minute Fire Rated door option available
- » Covered by the Deanta 10 year manufacturers warranty
- » Clear toughened glass








HP34GC - CLEAR

HP34

SIZES - SOLID / FD30	SIZES - CLEAR
2032 x 864 x 44mm	2032 x 864 x 44mm
2032 x 813 x 44mm	2032 x 813 x 44mm
1981 x 762 x 44mm	1981 x 762 x 44mm
1981 x 711 x 44mm	1981 x 711 x 44mm
1981 x 838 x 44mm	1981 x 838 x 44mm







SPECIFICATIONS


2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm

2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm

1981 x 838 x 44mm

2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm

2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm



1981 x 711 x 44mm


1981 x 838 x 44mm

1981 x 711 x 44mm

1981 x 838 x 44mm



PAGE 024







OAK



FINISHES AVAILABLE



NM2



SIZES - SOLID	

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm

SIZES - UNGLAZED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm

PAGE 027

PAGE 028




FEATURES

- » Real American white oak veneer
- » Crown cut veneer

- » Crown cut verifier
 » Solid core
 » Prefinished
 » Covered by the Deanta 10 year manufacturers warranty
 » Glazing options see page 100-101
 » Line bevelled & venice glass available (special order) see page 98-99












FINISHES AVAILABLE



NM3

SIZES - SOLID

NM3G - UNGLAZED

NM3G - LINE BEVELLED

OAK

NM3

2032 x 864 x 44mm	
2032 x 813 x 44mm	
1981 x 762 x 44mm	
1981 x 711 x 44mm	
1981 x 660 x 44mm	
1981 x 610 x 44mm	
1981 x 838 x 44mm	
1981 x 686 x 44mm	

SIZES - UNGLAZED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm




OAK



FEATURES

- » Real American white oak veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » 30 minute Fire Rated door option available
- » Covered by the Deanta 10 year manufacturers warranty
 » Glazing options see page 100-101





高效

No.







OAK

2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm

SMN







FINISHES AVAILABLE

Oak Primed Walnut

FEATURES

- » Real American white oak veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » Covered by the Deanta 10 year manufacturers warranty
- » Clear/Frosted toughened glass

DOOR DETAIL

GLASS OPTIONS









NM6GC - CLEAR

NM6GF - FROSTED

SIZES - CLEAR	SIZES - FROSTED
2032 x 864 x 44mm	2032 x 864 x 44mm
2032 x 813 x 44mm	2032 x 813 x 44mm
981 x 762 x 44mm	1981 x 762 x 44mm
981 x 711 x 44mm	1981 x 711 x 44mm
981 x 660 x 44mm	1981 x 660 x 44mm
981 x 610 x 44mm	1981 x 610 x 44mm
981 x 838 x 44mm	1981 x 838 x 44mm



NM8 in prefinished oak. Featured skirting and architrave - Georgian, white primed

FEATURES

- » Real American white oak veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » F30 minute Fire Rated door option available
- » Covered by the Deanta 10 year manufacturers warranty

DOOR DETAIL





OAK

FINISHES AVAILABLE



NM8

SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm






NM20 in prefinished oak. Featured skirting and architrave - Half Splayed, white primed

- » Real American white oak veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » Covered by the Deanta 10 year manufacturers warranty
- » Clear bevelled toughened glass

DOOR DETAIL









SIZES - BEVELLED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm



FEATURES

- » Real American white oak veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » Covered by the Deanta 10 year manufacturers warranty

DOOR DETAIL




PAGE 036

FINISHES AVAILABLE



\bigcirc NM2(







NM20

SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm



VR1 in prefinished oak. Featured skirting and architrave - Tudor, white primed

FEATURES

 $\overline{}$

VR

FINISHES AVAILABLE

- » Real American white oak veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » Covered by the Deanta 10 year manufacturers warranty

DOOR DETAIL





CONEY Key Set / WC Set Screw on Rose


Satin Nickel



VR1

SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm



- » Real American white oak veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » Covered by the Deanta 10 year manufacturers warranty
- » Glazing options see page 100-101
 » Limited Quanties available





GLASS OPTIONS

PAGE 038



OAK





VR4G - UNGLAZED

SIZES - UNGLAZED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm



RB7 in prefinished oak. Featured skirting and architrave - Shaker, white primed

- » Real American white oak veneer
- » Crown cut veneer
- » Solid core

DOOR DETAIL

- » Prefinished
- » Covered by the Deanta 10 year manufacturers warranty

FINISHES AVAILABLE





SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm



Flush Oak in prefinished oak. Featured skirting and architrave - Shaker white primed

FEATURES

- » Real American white oak veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » 30 minute Fire Rated door option available
- » Covered by the Deanta 10 year manufacturers warranty

DOOR DETAIL











SPECIFICATIONS







FLUSH

SIZES - SOLID / FD30

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 2032 x 923 x 44mm



PRIMED

HP10

HP10


SIZES - SOLID / FD30

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm

"Our Paint Grade range is primed and ready for painting, just choose the colour you desire."







FEATURES

- » Solid core
- » Contract door option available
- » Covered by the Deanta 10 year warranty
- » 30 minute Fire Rated door option available

DOOR DETAIL



\sim ЧD

HP12

SPECIFICATIONS



SIZES - SOLID / FD30

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm

SIZES - CONTRACT

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 610 x 44mm 1981 x 660 x 44mm



PRIMED




FEATURES

- » Ready for finish-coat
- » Solid core
- » Covered by the Deanta 10 year warranty

GLASS OPTIONS

CL FR Clear Frosted

- » Clear/Frosted toughened glass
- » Frosted double laminated glass



Oak Primed Walnut





HP1GF - FROSTED



FEATURES

- » Ready for finish-coat
- » Solid core
- » Covered by the Deanta 10 year warranty
- » 30 minute Fire Rated door option available
- » Glazing options see page 100-101
- » Bevelled glass available (special order) see page 100-101

DOOR DETAIL	



GLASS OPTIONS



SIZES - SOLID	SIZES - C
2032 x 864 x 44mm	2032 x 80
2032 x 813 x 44mm	2032 x 8
1981 x 762 x 44mm	1981 x 70
1981 x 711 x 44mm	1981 x 70
1981 x 660 x 44mm	1981 x 60
1981 x 610 x 44mm	1981 x 6
1981 x 838 x 44mm	1981 x 8

HP1

SIZES - CLEAR	SIZES - FROSTED
2032 x 864 x 44mm	2032 x 864 x 44mm
2032 x 813 x 44mm	2032 x 813 x 44mm
1981 x 762 x 44mm	1981 x 762 x 44mm
1981 x 711 x 44mm	1981 x 711 x 44mm
1981 x 660 x 44mm	1981 x 660 x 44mm
1981 x 610 x 44mm	1981 x 610 x 44mm
1981 x 838 x 44mm	1981 x 838 x 44mm



DOOR DETAIL

PRIMED



FINISHES AVAILABLE





SPECIFICATIONS

FD30

SIZES - UNGLAZED / FD30

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm

HP16G - BEVELLED



HP22 primed with grey colour finish. Featured skirting and architrave - Half Splayed, white primed

FEATURES

- » Ready for finish-coat
- » Solid core
- » Contract door option available (HP22 only)
- » Covered by the Deanta 10 year warranty
- » 30 minute Fire Rated door option available

DOOR DETAIL



_	

SPECIFICATIONS


FD30 CT Contract





HP22

SIZES - SOLID FD30	SIZES - CONTRACT
2032 x 864 x 44mm	2032 x 864 x 44mm
2032 x 813 x 44mm	2032 x 813 x 44mm
1981 x 762 x 44mm	1981 x 762 x 44mm
1981 x 711 x 44mm	1981 x 711 x 44mm





PAGE 048

9 () \square I

PRIMED



HP36 in primed finish. Featured skirting and architrave - Georgain, white primed

FINISHES AVAILABLE

Primed

FEATURES

- » Ready for finish-coat
- » Solid core

DOOR DETAIL

» Covered by the Deanta 10 year warranty






SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm


















- » Ready for finish-coat
- » Solid core
- » Prefinished
- » 30 minute Fire Rated door option available
- » Covered by the Deanta 10 year manufacturers warranty
- » Clear bevelled toughened glass. Glazing options see page 100-101
- » Line bevelled glass available (special order) see page 100-101

DOOR DETAIL	GLASS OPTIONS	SPECIFICATIONS	SIZES - SOLID FD30	SIZES - UNGLAZED
	Ungiazed BV VE Beveiled Venice	FD30	2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm	2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm

FINISHES AVAILABLE





1981 x 610 x 44mm 1981 x 838 x 44mm

FEATURES

- » Solid core







NM3

* Handle Options - see page 6



Key Set / WC Set ARAN Screw on Rose




Black Graphite

Key Set / WC Set Screw on Rose



Black Graphite






PRIMED

PRIMED

M5 glazed in primed finish. Featured skirting and architrave - Half Splayed, white prime



SMN




NM5GB - BEVELLED

SIZES - BEVELLED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm





NM5

SIZES - SOLID / FD30

2032 x 864 x 44mm

2032 x 813 x 44mm

1981 x 838 x 44mm

1981 x 762 x 44mm

1981 x 711 x 44mm

1981 x 660 x 44mm 1981 x 610 x 44mm

SPECIFICATIONS









- » Ready for finish-coat
 » Solid core
 » Covered by the Deanta 10 year warranty
 » Untampered Mirror
 » Anti-Shatter Glass

DOOR DETAIL





PRIMED

FINISHES AVAILABLE

Primed



SHOW SHOW

SIZES - MIRRORED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm

NM5GM - BACK

NEW FOR 2020



6G glazed in primed finish. Featured skirting and architrave - Half Splayed, white primed





NM6

10





NM6GC - CLEAR

NM6GF - FROSTED

SIZES - CLEAR

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm

SIZES - FROSTED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm







NM9GB - BEVELLED

SIZES - BEVELLED

2032 x 864 x 44mm 2032 x 813 x 44mm

1981 x 762 x 44mm

1981 x 711 x 44mm

1981 x 838 x 44mm



* Handle Options - see page 6 Key Set / WC Set Screw on Rose



SKELLIG

Key Set / WC Set Screw on Rose Satin Nickel



NM10 glazed in primed finish. Featured skirting and architrave - Ulysses, white primed


FEATURES

- » Ready for finish-coat
- » Solid core
- » Covered by the Deanta 10 year warranty

DOOR DETAIL









\bigcirc $\overline{}$ Z

NM10

SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm





1981 x 762 x 44mm

1981 x 711 x 44mm

1981 x 762 x 44mm

1981 x 711 x 44mm



HP16 unglazed in primed finish. Featured skirting and architrave - Shaker, white primed

FEATURES

- » Ready for finish-coat
- » Solid core
- » Covered by the Deanta 10 year warranty
 » Glazing options see page 100-101







PAGE 066

FINISHES AVAILABLE





VR20



VR20G - UNGLAZED

SIZES - UNGLAZED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm



- » Ready for finish-coat
- » Solid core
- » Covered by the Deanta 10 year warranty
 » 30 minute Fire Rated door option available

GLASS OPTIONS

Unglazed





WR1

WR1G - UNGLAZED

SIZES - SOLID FD30

2032 x 864 x 44mm

2032 x 813 x 44mm

1981 x 762 x 44mm

1981 x 711 x 44mm

1981 x 838 x 44mm

SPECIFICATIONS

6 FD30

SIZES - SOLID


2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm


PRIMED

WR1

SIZES - UNGLAZED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm







PAGE 070




SIZES - SOLID


2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm

SIZES - UNGLAZED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm







DOOR DETAIL



PAGE 072

PRIMED

RB9

RB9 - SOLID

SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm



Primed

FEATURES

- » Ready for finish-coat
- » Solid core
- » Covered by the Deanta 10 year warranty
- » Glazing options see page 100-101

DOOR DETAIL





1981 x 610 x 44mm



Flush primed with dark gray colour finish.. Featured skirting and architrave - Half Splayed, white primed

FEATURES

- » Ready for finish-coat
- » Solid core
- » Covered by the Deanta 10 year warranty
 » 30 minute Fire Rated door option available

DOOR DETAIL



PAGE 074	



FINISHES AVAILABLE



SPECIFICATIONS






SIZES - SOLID

FLUSH

2032 x 923 x 44mm 2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm PRIMED

Flush







SPECIFICATIONS



HP12SC; HP12CT

SIZES - SOLID FD30

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm

SIZES - CONTRACT

WALNUT

 \sim

 $\overline{}$

 \square

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm

PAGE 077



FEATURES

» Real American walnut veneer

- » Crown cut veneer
- » Solid core
- » Prefinished
- » Covered by the Deanta 10 year manufacturers warranty











HP1GF - FROSTED

HP1



HP16G unglazed in prefinished walnut. Featured skirting and architrave - Half Splayed, white primed

FEATURES

- » Real American walnut veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » 30 minute Fire Rated door option available
- » Covered by the Deanta 10 year manufacturers warranty
- » Glazing options see page 100-101
- » Bevelled glass available (special order) see page 100-101

DOOR DETAIL

GLASS OPTIONS





PAGE 078



FINISHES AVAILABLE



SPECIFICATIONS



SIZES - UNGLAZED FD30

HP16G - UNGLAZED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm

HP16G - BEVELLED



WALNUT

PAGE 079

WALNUT



FINISHES AVAILABLE

Walnut

FEATURES

- » Real American walnut veneer
- » Crown cut veneer
- » Solid core
- » Prefinished

DOOR DETAIL

- » Contract door option available
- » 30 minute Fire Rated door option available
- » Covered by the Deanta 10 year manufacturers warranty

UG 2032 x 864 x 44mm 1981 x 762 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 762 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm 1981 x 660 x 44mm 1981 x 838 x 44mm 1981 x 838 x 44mm	royear manalactarerov	tan tan cy			
Constant 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 762 x 44mm 1981 x 762 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 711 x 44mm 1981 x 711 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm 1981 x 838 x 44mm 1981 x 838 x 44mm 1981 x 838 x 44mm 1981 x 660 x 44mm 1981 x 838 x 44mm 1981 x 838 x 44mm 1981 x 838 x 44mm	GLASS OPTIONS	SPECIFICATIONS	SIZES - SOLID / FD30	SIZES - UNGLAZED/FD30	SIZES - CONTRACT
	Unglazed		2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm	2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm	2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm

HP18

HP18G - UNGLAZED



- » Prefinished
- » Contract door option available
- » 30 minute Fire Rated door option available
- » Covered by the Deanta 10 year manufacturers warranty
- » Clear toughened glass

DOOR DETAIL







SPECIFICATIONS



SIZES - SOLID FD30

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm

SIZES - CONTRACT

HP24


2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 838 x 44mm HP24GC - CLEAR

SIZES - CLEAR

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm








* Handle Options - see page 6. Key Set / WC Set






FEATURES

- » Real American walnut veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » Contract door option available
- » 30 minute Fire Rated door option available
- » Covered by the Deanta 10 year manufacturers warranty
- » Clear/Frosted toughened glass







SIZES - SOLID

2032 x 864 x 44mm

2032 x 813 x 44mm

1981 x 762 x 44mm

1981 x 711 x 44mm

1981 x 660 x 44mm

1981 x 610 x 44mm

HP35

SIZES - CONTRACT

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm

2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 838 x 44mm

SIZES - FROSTED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 838 x 44mm

SIZES - CLEAR 2032 x 864 x 44mm







WALNUT



WALNUT



NM3 in prefinished walnut. Featured skirting and architrave - Georgian, white primed

FEATURES

- » Real American walnut veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » Fire door option available (special order)
- » Covered by the Deanta 10 year manufacturers warranty
- » Glazing options see page 100-101
- » Line bevelled & venice glass available see page 100-101



```
GLASS OPTIONS
```

Unglazed Bevelled Venice





FINISHES AVAILABLE













FEATURES

- » Real American walnut veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » 30 minute Fire Rated door option available
- » Covered by the Deanta 10 year manufacturers warranty

DOOR DETAIL











SPECIFICATIONS






SMN



SIZES - SOLID FD30

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 838 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 686 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm







» Solid core

FEATURES

WALNUT

NM6

- » Prefinished
- » Covered by the Deanta 10 year manufacturers warranty
- » Clear/Frosted toughened glass

DOOR DETAIL

GLASS OPTIONS








NM6GC - CLEAR

NM6GF - FROSTED

SIZES - CLEAR	SIZES - FROSTED
2032 x 864 x 44mm	2032 x 864 x 44mm
2032 x 813 x 44mm	2032 x 813 x 44mm
1981 x 762 x 44mm	1981 x 762 x 44mm
1981 x 711 x 44mm	1981 x 711 x 44mm
1981 x 660 x 44mm	1981 x 660 x 44mm
1981 x 610 x 44mm	1981 x 610 x 44mm
1981 x 838 x 44mm	1981 x 838 x 44mm



- » Solid core
- » Prefinished
- » Covered by the Deanta 10 year manufacturers warranty
- » Clear bevelled toughened glass



BV Beveiled

GLASS OPTIONS



PAGE 086

NM9GB - BEVELLED

SIZES - BEVELLED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm 1981 x 838 x 44mm

WALNUT

6MN

PAGE 087



Walnut

FEATURES

 \sim m $\overline{\alpha}$

- » Real American walnut veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » Covered by the Deanta 10 year manufacturers warranty
- » Glazing options see page 100-101

DOOR DETAIL

GLASS OPTIONS







RB7 - SOLID







FEATURES

- » Real American walnut veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » 30 minute Fire Rated door option available
- » Covered by the Deanta 10 year manufacturers warranty

DOOR DETAIL



PAGE 088





SPECIFICATIONS





FLUSH


SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 2032 x 923 x 44mm

WALNUT

Flush







NM5 in prefinished Light Grey Ash. Featured skirting and architrave - Half Splayed, white primed

FEATURES

FINISHES AVAILABLE

- » Light Grey Ash veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » Covered by the Deanta 10 year manufacturers warranty

DOOR DETAIL





Also Available: Half Splayed Skirting, Architrave & Door Frames Light Grey Ash

* For more Options see page 105.



NM5 - SOLID

SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm



NM6G in prefinished Light Grey Ash. Featured skirting and architrave - Half Splayed, light grey.

FEATURES

- » Light Grey Ash veneer
- » Crown cut veneer
- » Solid core
- » Prefinished
- » Covered by the Deanta 10 year manufacturers warranty
- » Clear/Frosted toughened glass













2032 x 864 x 44mm 2032

2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm

PAGE 093



PAGE 094







VR1

SIZES - SOLID

VR4G

UNGLAZED

SIZES - UNGLAZED

2032 x 864 x 44mm

2032 x 813 x 44mm

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm







GLASS OPTIONS





VR2

SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm



VR3

SIZES - SOLID

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm

VR2G


UNGLAZED


SIZES - UNGLAZED

2032 x 864 x 44mm 2032 x 813 x 44mm 1981 x 762 x 44mm 1981 x 711 x 44mm 1981 x 660 x 44mm 1981 x 610 x 44mm

GLASS OPTIONS











GLASS INTUMESCENT FIRE SEAL

Intumescent glazing gasket

Glass Intumescent Fire Seal

Glazing Panels, Intumescent fire resistant seals are also used as part of a glazed system which secures the seals, Fire rated glass to be installed also available from suitable glazers.



SS / BRUSHED SEAL fire + smoke seal

Glass Intumescent Fire Seal

Door Gap must be between 2mm - 3mm. Intumescent Fire seals must be inserted to the frame, a combined smoke and fire seal is best recommended commonly known as a Brushed Seal.



The following are Deanta FD30 Fire Doors



CONTRACT DOORS déanta

Contract Doors are made with your budget in mind.

Contract Doors are the same design as Solid Core Doors, However our contract door core is made from a lighter core tubular or sectional material particle board, that is not Fire Rated. The face of the door is veneered. Then we cut the V groove out of the face which is MDF (Medium-Density Fibreboard).

The MDF is stained to a matching colour oak or walnut. The whole process is more economical and so we can offor you a more competitive price.

All Deanta Contract Doors are available in full fire-rated versions.



SOLID CORE DOOR

solid wood inlay, v-groove sanded



CONTRACT DOOR

MDF face, v-groove sanded, stained to tone with wood



HP12 Oak Page: 012



HP22 Primed

Page: 048

СТ

RS

 \bigcirc

Ŏ

 \bigcirc

 \Box

RA

CONTF


The following are Deanta Contract Doors



	$\overline{)}$
\overline{C})
Ηd	_
С)
U U	$\mathbf{)}$
\triangleleft	
ſ)

HP16G Oak Bevelled	HP38G Oak Venice	HP38G Oak Line Bevelled	NM2G Oak Bevelled	NM2G Oak Flora	NM2G Oak	NM3G Oak Venice	NM3G Oak Line Bevelled
NM4G Oak	NM4G Oak	NM4G Oak	RB7G Oak	VR4G Oak	VR4G Oak	VR4G Oak	HP16G Primed
Bevelled	Flora	Luma	Venice	Bevelled	Flora	Luma	Beveiled
HP38G Primed	HP38G Primed	MM3G Primed	NM3G Primed	VR20G Primed	VR20G Primed	VR20G Primed	WM4G Primed
Venice	Line Bevelled		Line Bevelled	Bevelled	Flora	Luma	Bevelled






GLASS OPTIONS

PAGE 101



WELLS



Oak

FEATURES

» Available in Prefinished Oak & White Primed

SIZES

- » Skirting: 3.6M x 220mm x 18mm (Oak) (Primed 5.4M)
- » Architrave: 110mm x 18mm
- » Standard Door Frame Set: 133mm / 98mm x 30mm
- » (Removable stop included) (Set covers both sides of door)



GEORGIAN



Oak

Primed

FEATURES

» Available in Prefinished Oak & White Primed

SIZES

- » Skirting: 3.6M x 145mm x 18mm (Oak) (Primed 5.4M)
- » Architrave: 90mm x 16mm
- » Standard Door Frame Set: 133mm / 98mm x 30mm
- » (Removable stop included) (Set covers both sides of door)



ULYSSES



Primed

SIZES

- » Skirting: 3.6M x 145mm x 18mm
- » Skirting: 5.4M x 145mm x 18mm
- » Architrave: 90mm x 18mm
- » Standard Door Frame Set: 133mm / 98mm x 30mm
- » (Removable stop included) (Set covers both sides of door)

elizabethan



Oak

- » Skirting: 3.6M x 145mm x 18mm
- » Architrave: 90mm x 18mm
- » Standard Door Frame Set: 133mm / 98mm x 30mm

PAGE 102











MOULDED



» Available in White Primed





Oak



Walnut

FEATURES

» Available in Prefinished Oak & Walnut

SIZES

- » Skirting: 3.66M x 145mm x 18mm
- » Architrave: 80mm x 16mm
- » Standard Door Frame Set: 133mm / 98mm x 30mm
- » (Removable stop included) (Set covers both sides of door)

» Available in Prefinished Oak





» (Removable stop included) (Set covers both sides of door)

SHAKER



FEATURES



SIZES

- » Skirting: 3.6M x 145mm x 18mm (Oak & Walnut) (Primed 5.4M)
- » Architrave: 80mm x 16mm
- » Standard Door Frame Set: 133mm / 98mm x 30mm
- » (Removable stop included) (Set covers both sides of door)

VICTORIANA



Oak



Primed

Walnut

FEATURES

» Available in Prefinished Oak, Walnut & White Primed

SIZES

- » Skirting: 3.66M x 180mm x 18mm (Oak & Walnut) (Primed 5.4M)
- » Architrave: 100mm x 18mm
- » Standard Door Frame Set: 133mm / 98mm x 30mm
- » (Removable stop included) (Set covers both sides of door)







Oak

Walnut

FEATURES

» Available in Prefinished Oak, Walnut, White Primed & Light Grey Ash

SIZES

- » Skirting: 3.6M x 145mm x 18mm (Oak & Walnut) (Primed 5.4M)
- » Architrave: 90mm x 16mm
- » Standard Door Frame Set: 133mm / 98mm x 30mm
- » (Removable stop included) (Set covers both sides of door)

TUDOR



Oak

Walnut

FEATURES

» Available in Prefinished Oak & Walnut

SIZES

- » Skirting: 5.4M x 145mm x 18mm, Skirting: 3.6M x 145mm x 18mm
- » Architrave: 90mm x 18mm
- » Standard Door Frame Set: 133mm / 98mm x 30mm
- » (Removable stop included) (Set covers both sides of door)

PAGE 104





Primed

Oak



PAGE 106



EASY-FIT

déanta

Deanta Doors have a new innovative range of Easy-Fit Skirting & Architrave.

The Easy-Fit range will also be coming to the Oak & Walnut range of Skirting & Architrave.



SKIRTING:

Excess plaster gathering in the corners, with the chamfer at the bottom of our easy fit skirting, this is no longer an issue.

ARCHITRAVE:

Sometimes the plaster and door frame might not line up, with the 70mm x 2mm rebate at the back of the architrave you will get a smoother finish every time.

EASY-FIT HALF SPLAYED



FEATURES

- » White Primed
- SIZES
- » Skirting: 3.6M x 145mm x 16mm
- » Architrave: 90mm x 16mm



EASY-FIT SHAKER

FEATURES

SIZES

» White Primed

- » Skirting: 3.6M x 147mm x 16mm » Architrave: 80mm x 16mm







EASY-FIT WELLS



FEATURES

» White Primed

SIZES

- » Skirting: 3.6M x 220mm x 18mm
- » Architrave: 110mm x 18mm



EASY-FIT TUDOR



FEATURES » Prefinished

SIZES

» Skirting: 3.6M x 145mm x 18mm » Architrave: 80mm x 18mm



EASY-FIT ULYSSES



FEATURES

» Prefinished

SIZES

- » Skirting: 3.6M x 145mm x 18mm
- » Architrave: 90mm x 18mm



EASY-FIT GEORGIAN



FEATURES

» White Primed

SIZES

- » Skirting: 3.6M x 144mm x 16mm
- » Architrave: 90mm x 16mm



EASY-FIT VICTORIANA



FEATURES

» White Primed

SIZES

- » Skirting: 3.6M x 180mm x 18mm
- » Architrave: 100mm x 18mm



PRIMED CORNER BLOCKS



Corner Blocks are an innovative way to add a stylish finish to architrave. All Deanta's Range of Primed Corner Blocks have been primed & then sanded, before an undercoat is applied.

The Corner Blocks are then fine-sanded so the painter only needs to provide a final colour chosen by the clients. This will save a considerable amount of time & expenditure for the developer.






FEATURES

» All Designs White Primed

SIZES

» All Designs: 114 x 114 x 24mm





ADJUSTABLE DOOR FRAMES & CASINGS

Our removable stop frames and adjustable door casings (frames and architraves) have been specially designed to make life easier for you. Choosing one of our adjustable door casings means that installation is a breeze, and one of our kits will fit just about any wall you have in your home.

These casings simplify the process of fitting door frames and architraves and give a wonderful finish with moulded and shaker style architrave

Adjustable frames available in 98mm and 125mm versions in Oak or Walnut, Half Splayed (oak only), Shaker or Moulded Adjustable Architrave.

FEATURES

- » Available in Prefinished Oak & Walnut
- » Available in Shaker, Moulded or Half Splayed (oak only)

DOUBLE DOOR DIVIDERS




SIZES

» 98mm frame (adjusts up to 125mm) » 125mm frame (adjusts up to 155mm)







STANDARD DOOR FRAME

Our standard door frame features a removable stop allowing you to cover installation markings on the main frame giving a clean and professional finish. Our door frames are solid engineered timber with a veneer wrap finish and is also available as solid engineered oak with veneer.

Frames can be grooved out to accommodate an intumescent strip for making a fire frame when using DEANTA fire doors. They may also be suitable for other fire doors, but before proceeding please make sure to check the certification first. Our frames are made from Finger jointed Fir and faced with MDF adding stability to our frames (Frames to be fitted after plastering is completed and dry only).

FEATURES

- » Available in Prefinished Oak, Walnut & White primed
- » Solid engineered timber

SIZES

2077M x 1100 x 133 x 42mm 2077M x 1100 x 98 x 42mm










133


12







REBATED DOOR FRAMES





FEATURES


- » Available in Prefinished Oak & White primed
- » Solid engineered timber

SIZES

2077M x 1100 x 133 x 42mm 2077M x 1100 x 100 x 42mm







FEATURES

- » Available in Prefinished Oak & White primed
- » Solid engineered timber
- » Grooved for intumescent strip
- » FD30 Fire rated door frame

SIZES


2077M x 1100 x 133 x 42mm 2077M x 1100 x 100 x 42mm

PRIMED WINDOW BOARD





HEEL BLOCKS VICTORIANA





HEEL BLOCKS WELLS

8.4		1		
2.5				
(ac				
15 3				
20				
1000			1	



124









Oak

FEATURES

SIZES

210 x 110 x 24mm



& Walnut & White Primed

Walnut





DOOR FRAME FILLER



HOCKEY STICK DOOR FRAME



FEATURES

» Available in Prefinished Oak & White Primed

SIZES

2250 x 31 x 20mm





FEATURES

- » Available in Prefinished Oak & Walnut
- » Useful when you need to build out a Door Frame

SIZES

2100 x 200 x 16mm




WALL PANELLING déanta


New to the Deanta range "The Edwardian" wall panelling. Revamp your room with Deantas' simple, elegant and affordable wall panelling. Not only is "The Edwardian" wall panelling inexpensive and can save you considerable time, it is also easy to install, complementing the Deanta range of quality doors, skirting, architrave and door hardware.

Single pack of wall panelling comes with:


- 1 x (2420mm x 34mm x 31mm) length of large (top) beading
- 4 x (2420mm x 80mm x 15mm) lengths of board panelling
- 4 x (2420mm x 25mm x 31mm) lengths of (inside) beading


For further information visit our website at: www.deantadoors.ie or please contact your local stockist.




















BEING RESPONSIBLE

aware.

At Deanta, we have realised how our operations can impact the environment so we are investing heavily to become more environmentally responsible. Throughout the business we are working to reduce our carbon footprint, helping to protect our planet and ensuring we have a positive impact on our society, economy and environment. We are always looking at ways we can reduce, reuse and recycle the resources we use.

We apply environmentally friendly practises into our office and the supply chain:

- doing their bit for the planet.

All materials are **FSC** approved

In an age where there is continued depletion of natural resources, companies throughout the world have shifted priorities to become more environmentally

» 98% of all our onsite waste is recycled. We have recycling bins throughout the site including in our staff canteens, to make sure all Deanta employees are


» We have installed solar panels on the roof of our building which creates enough energy to make our building self-sustainable for seven months.

» All our timber is sourced from North American forests with sound environmental forest management schemes. These schemes ensure the forests biodiversity, productivity and ecological processes as well as protecting the rights of local people.

» We have sensor lighting and taps throughout our site to help us ensure that no power or water is wasted when not in use.

» We use mains water dispensers to reduce the use of plastic bottles and help the environment.





At Deanta, we manufacture all of our doors in our very own manufacturing facility. This not only allows us to control stock supply but it also allows us to have full control of the quality control process to ensure every door that leaves our factory is of the very highest standard. We have rigorous quality control procedures in place to check every single door and we stand by this with a limited 10 Year Manufacturer Warranty on all of our doors.


Our team of highly skilled craftsmen, with the help of the latest state-of-the-art technology, achieve a perfect finish to an exceptionally high standard and lasting quality to every single door. Our team are able to offer bespoke doors to meet your exact requirements - in any size and any finish. For more information about our bespoke design service please refer to page 7.

Above all else, what truly makes us stand out from the rest is our customer care. We truly care about the experience our customers have when they deal with us. We welcome feedback and continually strive to offer unsurpassed customer care. We are a company that gives solutions, not problems.

THE DEANTA DIFFERENCE

With an established reputation for commitment to innovative design, unsurpassed craftsmanship and excellent client service, Deanta is committed to standing out from the crowd in the door industry.

Deanta has over twenty-five years of experience in the building and design industry which we strongly feel is fundamental in building strong, sound working relationships with our clients who are mostly door merchants - and to their customers designers, architects and builders. That's why they keep coming back to us.



We offer a limited ten year warranty on all our doors. Any Deanta door that warps* or splits will be covered by our warranty once the installation has met all guidelines. Please note colour variance in the wood is not considered a manufacturing fault as it is a natural product.

THE FOLLOWING MUST BE CARRIED OUT TO ENSURE THE BEST PERFORMANCE FROM YOUR DEANTA DOOR.

- hanging.
- fitter.
- and level surface.
- recorded.

TERMS & CONDITIONS

» All doors must be examined immediately on receipt and prior to installation as claims or faults will not be accepted once the door has been installed or altered. This excludes manufacturing faults that occur after

» All doors must be measured individually when having glass fitted. Deanta doors are hand-assembled, and as such, we cannot guarantee each aperture is the exact same size. We recommend you use a qualified glass

» Doors must be stored horizontally on a clean, dry, flat

» Doors must not be fitted in a house that is freshly plastered and doors should only be delivered to site after all wet trades are finished and sufficiently dried. A moisture reading taken by an engineer must be

» For doors to acclimatize, they should be left in the house prior to installation for at least 21 days with the ambient temperature gradually increased over this period.

» Should a door require alteration, cutting or planing, it must be immediately revarnished to prevent moisture absorption which may lead to warping or splitting.

» Take no more than **10mm** (30mm for FD30) off the width and height of doors in equal amounts on all edges. Planed edges of prefinished doors must be refinished using three coats of internal wood finish.

» We recommend the use of three sets of hinges per door.

- » We recommend varnish and lacquers that are suitable for interior joinery. If using oils please contact Deanta for recommended brands.
- » Should a door be removed from it original packaging. It can not be returned.
- » Should a door be hanged, it can not be returned.

UNDER OUR WARRANTY, OUR LIABILITY IS LIMITED TO REPLACING THE DOOR AND NO LIABILTY IS ACCEPTED FOR ANY CONSEQUENTIAL COSTS. ALTERATION OF A DEANTA DOOR WILL VOID THE WARRANTY.

*Warp/bow/cup/twist (as set out in the relevant Building Standards) shall not be considered a defect unless it exceeds 1/4 inch (6.35mm) in the plane of the door itself. Warp is any distortion in the door itself and does not refer to the relationship of the door to the frame or jamb in which itis hung.

*FIRE DOOR DISCLAIMER - Doors with a fire door symbol are only available in the solid and unglazed options.




*TOUGHENED GLASS DISCLAIMER - In accordance with BS EN 12150 and BS EN 12600 we use toughened glass in all our glass doors. Toughened glass is glass that has gone through controlled thermal processes to increase its strength compared to normal glass. In the event of an abnormal impact to toughened glass, the glass shatters into small fragments instead of sharp shards making it safer and less likely to cause injury.

For more information on our warranty please visit our website at: www.deantadoors.ie.

STOCKISTS

We have stockists throughout the island of Ireland. To find your nearest retailer please visit our website.





YOUR DOOR. YOUR SIZE. YOUR STYLE. OUR PLEASURE.

Choose a bespoke size of any door in this brochure or even design your perfect door and our skilled craftsmen will bring your ideas to life.

Simply follow our four steps to get your perfect door.

Please visit our website at: www.deantadoors.ie for more information.



Deanta - Kerry Curraheen, Tralee, Co. Kerry

Deanta - Dublin 2 Cloverhill Industrial Estate, Clondalkin, Dublin 22

T: +353 (0) 66 71 94828 E: info@deantadoors.ie W. www.deantadoors.ie Local Stockist: